Appendix 1. Bodega Marine Lab student reports on polychaete biology. Species names in reports were assigned to currently accepted names. Thus, Ackerman (1976) reported Eupolymnia crescentis, which was recorded as Eupolymnia heterobranchia in spreadsheets of current species (spreadsheets 2-5).

Ackerman, Peter. 1976. The influence of substrate upon the importance of tentacular regeneration in the terebellid polychaete EUPOLYMNIA CRESCENTIS with reference to another terebellid polychaete NEOAMPHITRITE ROBUSTA in regard to its respiratory response. Student Report, Bodega Marine Lab, Library. IDS 100

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919 changed per Lights 2007.

Alex, Dan. 1972. A settling survey of Mason's Marina. Student Report, Bodega Marine Lab, Library.

Zoology 157

Alexander, David. 1976. Effects of temperature and other factors on the distribution of LUMBRINERIS ZONATA in the substratum (Annelida: polychaeta). Student Report, Bodega Marine Lab, Library. IDS 100

Amrein, Yost. 1949. The holdfast fauna of MACROSYSTIS INTEGRIFOLIA. Student Report, Bodega Marine Lab, Library.

Zoology 112

- * Platynereis bicanaliculata (Baird, 1863) reported as Platynereis agassizi Okuda & Yamada, 1954. Changed per Lights 1954 (2nd edition).
- * Naineris dendritica (Kinberg, 1867) reported as Nanereis laevigata (Grube, 1855) (should be: Naineris laevigata). N. laevigata not in Hartman 1969 or Lights 2007. N. dendritica taken as synonymous with N. laevigata.
- * Hydroides uncinatus Fauvel, 1927 correct per I.T.I.S. although Hartman 1969 reports Hydroides changing to Eupomatus. Lights 2007 has changed Eupomatus to Hydroides.
- * Dorvillea moniloceras (Moore, 1909) reported as Stauronereis moniloceras (Moore, 1909). (Stauronereis to Dorvillea per Hartman 1968).
- * Amrein reported Stylarioides flabellata, which was not recognized by Hartman 1969, Lights 2007 or the Integrated Taxonomic Information System (I.T.I.S.). A flabellerigid found in kelp holdfast was assigned a European name in 1949 (S. flabellata), that name became Pherusa flabellata, a species with no other record from the eastern Pacific.

Armstrong, Gail. 1975. Behavior influencing host_specificity in commensal scaleworms of the genus HESPERONOE (Annelida: Polychaeta). Student Report, Bodega Marine Lab, Library. IDS 100

Armstrong, Richard A. 1969. Luminescence of the dorsal elytra in the Polynoid worm HESPERONOE ADVENTOR. Student Report, Bodega Marine Lab, Library. Zoology 157

Banks, Richard C. 1958. The genus NEPHTYS in the Bolinas area. Student Report, Bodega Marine Lab, Library.

Zoology S-112

Barrett, Sandra. 1973. A behavioral study of the relationship between the echiuroid worm URECHIS CAUPO Fisher and MacGinitie and its symbiotes a pinnotherid crab, SCLEROPLAX GRANULATA Rathbun and a polychaete annelid, HESPERONOE ADVENTOR (Skogsberg). Student Report, Bodega Marine Lab, Library. IDS 100

Baranowski, John D. 1976. Chloride preferences of NEREIS LIMNICOLA in the brackish-water environment of Cambell's Cove, California. Student Report, Bodega Marine Lab, Library. IDS 100

Becker, Robin. 1974. Thirteen species of Spirobidae (Polychaeta) from Bodega Head, California. Student Report, Bodega Marine Lab, Library. IDS 100

- * Protolaeospira eximia (Bush, 1905) reported as Protolaeospira sp.. According to Hartman 1969, the only species is P. eximia. Taken as P.eximia.
- * Paradexiospira vitrea (Fabricius, 1780) reported as Paradexiospira sp.. According to Hartman 1969, the only species is P.vitrea. Taken as P. vitrea.

Beckman, Carolyn. 1952. Notes on the polychaetes of Monterey Harbor. Student Report, Bodega Marine Lab, Library.

Zoology 21

- * Ophiodromus pugettensis (Johnson, 1901) reported as Podarke pugettensis Johnson, 1901. Changed per Hartman 1968.
- * Dodecaceria fewkesi Berkeley & Berkeley, 1954 reported as Dodecaceria fistulicola Ehlers, 1901. Changed from invalid species in otherwise monospecific genus.
- * Euzonus dillonensis (Hartman, 1938) reported as Pectinophelia dillonensis Hartman, 1938. Changed per Hartman 1969.
- * Typosyllis adamanteus (Treadwell, 1914) reported as Trypanosyllis adamanteus. Changed per Hartman 1968.
- * Thelepus crispus Johnson, 1901 reported as Thelepus plagiostoma (Schmarda, 1861). Changed per D. Cowles, Department of Biology, Walla Walla College, Washington. 99324.
- * Hesperalia californiensis Chamberlin?. Odontosyllis = Hesperalia. Neither O. californiensis nor H. californiensis found in Lights 2007, Hartman 1969, I.T.I.S., or S.C.A.M.I.T.. Not included in checklist.

Belman, Bruce W., Janet Boyles, Karen Fuller, Terrence Gosliner, Gary C. Williams. 1971. A faunal survey of Mason's Marina, Bodega Bay, California. Student Report, Bodega Marine Lab, Library.

- * Neoamphitrite robusta (Johnson, 1901) reported as Amphitrite robusta Johnson 1901. Changed per Lights 1975.
- * Paleanotus bellis (Johnson, 1897) reported as Paleanotus chrysolepis Schmarda, 1861. Not in Lights 2007 of Hartman 1969. Changed per S.C.A.M.I.T. 2001.

* Platynereis bicanaliculata (Baird, 1863) reported as Platynereis agassizi Okuda & Yamada, 1954. Changed per Lights 1954 (2nd edition).

Belman, Bruce W. 1971. Notes on the polychaete worms of the family Cirratulidae from the Bodega Head region. Student Report, Bodega Marine Lab, Library. Zoology 157

* Dodecaceria fewkesi Berkeley & Berkeley, 1954 reported as Dodecaceria fistulicola. Ehlers, 1901. Changed from invalid species in otherwise monospecific genus.

Benton, C.R. 1941. A preliminary study of the ecology of the MYTILUS CALIFORNIANUS - MITELLA POLYMERUS association in Bodega Bay, California. Student Report, Bodega Marine Lab, Library.

Zoology 119

Berardi, James T. and Douglas A. Dahme. 1996. A subtidal survey of the Bodega Marine Reserve: a correlation between depth and species diversity. Student Report, Bodega Marine Lab, Library.

Marine and Coastal Field Ecology

Environmental Studies S124

Brand, Timothy E. 1973. On the relationship between CRYPTOCHITON STELLERI (Middendorf, 1846) (Mollusca: Amphineura) and ARCTONOE VITTATA (Grube, 1855) (Annelida: Polychaeta). Student Report, Bodega Marine Lab, Library. IDS 100

Brunton, Neil. 1981. A survey and comparison of the fouling communities on the Porto Bodega and U.S. Coast Guard floating docks in Bodega Harbor, California. Student Report, Bodega Marine Lab, Library.

Zoology 157

Burton, Bonnie. 1976. Some general morphological observations on PHRAGMATOPOMA CALIFORNICA with special emphasis on the blood system. Student Report, Bodega Marine Lab, Library.

IDS 100

Cameron, Scott. 1977. A study of respiration rates vs oxygen concentrations in NEPHTYS CAECOIDES and NEPHTYS CALIFORNIENSIS. Student Report, Bodega Marine Lab, Library.

Zoology 157

Chan, Athena. 2002. Effects of Sediment Type on the Distribution of Nephtys caecoides. Student Report, Bodega Marine Lab, Library.

UCLA-BML OBEE 106 & 123

Chang, Ernest S. 1971. A survey of fauna along the rocks bordering Bodega Harbor. Student Report, Bodega Marine Lab, Library.

Chappell, B. 1933. General classification of animals in the Dillon Beach area. Student Report, Bodega Marine Lab, Library.

Charwat, Danuta. 1972. Locomotion, burrowing, and tube formation in seven species of nereid polychaetes. Student Report, Bodega Marine Lab, Library. Zoology 157

Christenson, John F. 1932. Luminosity and its origin in a West Berkeley Cirratulid. Student Report, Bodega Marine Lab, Library. Zoology 112

Clark, Kirstin. 1967. A comparison of feeding in EUDISTYLIA POLYMORPHA and PECTINARIA CALIFORNIENSIS and its relationship to their specific habitat in Bodega Bay. Student Report, Bodega Marine Lab, Library. Zoology 157

Cogswell, Howard L. 1949. An attempt at a quantitative analysis of the macrofauna of the upper layers of an intertidal mud flat. Student Report, Bodega Marine Lab, Library. Zoology 112

- * Streblospio benedicti Webster, 1879 reported as Streblospio lutincola Hartman, 1936. Changed per Carlton 1979.
- * Dorvillea longicornis (delle Chiaje, 1828) reported as Stauronereis articulate Hartman, 1938 (Should be Stauronereis articulatus). Changed per Lights 2007. (Stauronereis to Dorvillea per Hartman 1968).
- * Platynereis bicanaliculata (Baird, 1863) reported as Uncinereis agassizi Chamberlin (1919B). Changed per Berkeley & Berkeley 1935.
- * Hemipodus borealis Johnson, 1901 reported as Hemipodus roseus Hartman, 1950. Not found in Hartman 1969 or Lights 2007. Changed per I.T.I.S.

Cooper, Lee. 1976. Patterns and characteristics of PINNIXA LONGIPES (Lockington, 1877) (Brachyura, Pinnotheridae) infestation with AXIOTHELLA RUBROCINCTA (Johnson, 1901) (Polychaeta, Maldanidae). Student Report, Bodega Marine Lab, Library. IDS 100

Copeland, J. Animals of the oyster beds. Student Report, Bodega Marine Lab, Library. Zoology 112

* Axiothella rubrocincta (Johnson, 1901) reported as Clymenella rubrocincta Johnson 1901. Changed per Hartman 1969.

Crespi, Thomas R. 1976. Tube building behavior and general observations of the polychaete worm, DIOPATRA ORNATA Moore, 1911. Student Report, Bodega Marine Lab, Library. Zoology 157

Dano, Craig J. 1973. Method of tube construction by EUPOLYMNIA CRESCENTIS, with ecological notes on EUPOLYMNIA CRESCENTIS, THELEPUS CRISPUS, PISTA PACIFICA, NEOAMPHITRITE ROBUSTA and two unidentified terebellid species. Student Report, Bodega Marine Lab, Library.

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919 changed per Lights 2007.

Dave, Rita. 1976. A study of operculum regenration and tube repair in SERPULA VERMICULARIS and five genera of the subfamily Spirorbinae. Student Report, Bodega Marine Lab, Library.

IDS 100

- * Protolaeospira eximia (Bush, 1905) reported as Protolaeospira sp.. According to Hartman 1969, the only species is P. eximia. Taken as P.eximia.
- * Paradexiospira vitrea (Fabricius, 1780) reported as Paradexiospira sp.. According to Hartman 1969, the only species is P.vitrea. Taken as P. vitrea.

Davidson, W. and E. Herman. 1972. Zonation of the Bodega Harbor mudflat. Student Report, Bodega Marine Lab, Library.

Zoology 157

- * Neoamphitrite robusta (Johnson, 1901) reported as Amphitrite robusta Johnson, 1901. Changed per Lights 1975.
- * Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919 changed per Lights 2007.

Davis, Wallace III. 1966. The intertidal distribution of polychaetes and phoronids at the Doran Beach breakwater. Student Report, Bodega Marine Lab, Library. Zoology S_112

Day, Lucille E. 1972. Sabellids of Mason's Marina. Student Report, Bodega Marine Lab, Library.

Zoology 157

Zoology 157

Deen, Roland. 1976. Observations of the keyhole limpet DIODORA ASPERA and its commensal polychaete ARCTONOE VITTATA in the presence of sea stars. Student Report, Bodega Marine Lab, Library. IDS 100

Dyal, James. 1967. Habituation in the polychaete HESPERONOE ADVENTOR. Student Report, Bodega Marine Lab, Library.

Dyal, James. 1967. Response decrement in the polychaete HESPERONOE ADVENTOR: reactive inhibition and habituation. Student Report, Bodega Marine Lab, Library. Zoology 157

Eisler, Arden. 1966. Processes involved in the construction of the membranous tube in PECTINARIA CALIFORNIENSIS. Student Report, Bodega Marine Lab, Library. Zoology S-212

Ellested, Bruce. 1976. An ecological survey of operculum- and tube- incubating spirorbids (Annelida, Spirorbidae) with a fecundity study of a species of LEODORA in relation to physical factors. Student Report, Bodega Marine Lab, Library. IDS 100

Farris, Monica. 1973. The behavior of the hesionid polychaete OPHIODROMUS PUGETTENSIS toward the batstar PATIRIA MINIATA. Student Report, Bodega Marine Lab. Library.

IDS 100

Feder, Howard M. 1948. A comparative study of some rocky shore marine communities. Student Report, Bodega Marine Lab, Library. Zoology 112

- - * Typosyllis alternata (Moore, 1908) reported as Syllis alternate Moore, 1908. Changed per Hartman 1968.
 - * Ophiodromus pugettensis (Johnson, 1901) reported as Podarke pugettensis Johnson, 1901. Changed per Lights 2007.
 - * Typosyllis adamanteus (Treadwell, 1914) reported as Trypanosyllis adamanteus. Changed per Hartman 1968.
 - * Pholoides aspera (Johnson, 1897) reported as Peisidice aspera Johnson, 1897. Changed per Lights 2007.

Fisher, Harvey I., Hildebrand, Milton. 1941. The fauna of a selected rocky shore: a qualitative and quantitative study of the fauna of the rocks of Second Sled Road Point, Dillon Beach, Marin County, California. Student Report, Bodega Marine Lab, Library.

Zoology 119

- * Naineris dendritica (Kinberg, 1867) reported as Nanereis laevigata (Grube, 1855) (should be: Naineris laevigata). N. laevigata not in Hartman 1969 or Lights 2007. N. dendritica taken as synonymous with N. laevigata.
- * Dexiospira spirillum (Linnaeus, 1758) reported as Spirorbis spirillum (Linnaeus, 1758). Changed per Hartman 1969.
- * Platynereis bicanaliculata (Baird, 1863) reported as Platynereis agassizi Okuda & Yamada, 1954. Changed per Lights 1954 (2nd edition).
- * Dodecaceria fewkesi Berkeley & Berkeley, 1954 reported as Dodecaceria pacifica (Fewkes?). Changed per Hartman 1969.
- * Nereis pelagica neonigripes Hartman, 1936 reported as Nereis pelagica Linnaeus, 1758 changed per Hartman 1968.
- * Paleanotus bellis (Johnson, 1897) reported as Paleanotus chrysolepis Schmarda, 1861. Not found in Lights 2007 or Hartman 1969. Changed per S.C.A.M.I.T. 2001.
- * Lepidonotus squamatus (Linnaeus, 1767) reported as Lepidonotus caelorus Moore, 1903 changed per Hartman 1968.

Fix, Gary A. 1976. Host specificity and conditioning in the symbiotic polynoid polychaete ARCTONOE VITTATA. Student Report, Bodega Marine Lab, Library. IDS 100

Fjeld, Per. 1957a. Observations on marine Micropsammon at Bodega Bay, California. Student Report, Bodega Marine Lab, Library. Zoology 212

Fjeld, Per. 1957b. On Sabellidae in the Bodega Bay area. Student Report, Bodega Marine Lab, Library.

Zoology 212

* Fjeld reported Fabricia dubia, which was not found in Lights 2007, Hartman 1969, I.T.I.S., Kozloff 1996, or S.C.A.M.I.T. Not included in checklist.

Fong, Jerry. 1976. Comparative studies of respiration patterns of CIRRIFORMIA LUXURIOSA (Moore, 1904) and CIRRIFORMIA SPIRABRANCHA (Moore, 1904) (Polychaeta, Cirratulidae) in response to oxygen depletion. Student Report, Bodega Marine Lab, Library. IDS 100

Fong, Debra Ann. 1976. Survey of invertebrate and algae populations at Mason's Marina, Bodega Harbor. Student Report, Bodega Marine Lab, Library. Botany 104

Frapwell, William H. 1949. A survey of the most common invertebrate forms in a protected rocky area. Student Report, Bodega Marine Lab, Library. Zoology 112

- * Dodecaceria fewkesi Berkeley & Berkeley, 1954 reported as Dodecaceria fistulicola Ehlers, 1901. Changed from invalid species in otherwise monospecific genus.
- * Halosydna brevisetosa Kinberg, 1855 reported as Halosydna johnsoni (Darboux, 1899). Changed per Lights 1975.
- * Typosyllis alternata (Moore, 1908) reported as Syllis alternate Moore, 1908. Changed per Hartman 1968.

Gale, Alan. 1985. Survey of polychaetes of Bodega Harbor mudflat. Student Report, Bodega Marine Lab, Library.

Zoology 162

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919. Changed per Lights 2007.

Gaspar, Bruce Wayne. 1970. Miscellaneous observations on MAGELONA PITELKAI, a common polychaete. Student Report, Bodega Marine Lab, Library. Zoology 157

Gates, Robert L. 1957. A study of host preference in the commensal polynoid annelid ARCTONOE PULCHRA. Student Report, Bodega Marine Lab, Library. Zoology 157

Giorni, Chris. 1987. A survey of invertebrates found in association with discarded containers, e.g. bottles and cans at the Campbell's and Doran jetties. Student Report, Bodega Marine Lab, Library.

Zoology 162

Gomes, Richard. 1970. BOCCARDIA PROBOSCIDEA (Hartman, 1940), the bioerosional agent. Student Report, Bodega Marine Lab, Library. Geology \$119

Gorbman, Aubrey. 1937. A note on the breeding behavior of CIRRIFORMIA LUXURIOSA (Moore). Student Report, Bodega Marine Lab, Library. COURSE Unknown

Grabstein, Kenneth. 1971. The distribution and burrowing techniques of NEPHTYS CALIFORNIENSIS and NEPHTYS CAECOIDES in and around Bodega Harbor. Student Report, Bodega Marine Lab, Library. Zoology 157

Grebmeier, Jacqueline M. 1976. Anatomical and behavioral aspects of the burrowing and feeding of MAGELONA PITELKAI Hartman, 1944. Student Report, Bodega Marine Lab, Library.

IDS 100

Green, Janet S. 1936. Preliminary study of the fauna of Fisherman's Rock, Stinson Beach, Marin County, California. Student Report, Bodega Marine Lab, Library. Zoology 112

* Typosyllis adamanteus (Treadwell, 1914) reported as Trypanosyllis adamanteus. Changed per Hartman 1968.

Guernsey, Anne Elizabeth. 1976. Some aspects of habituation in the sabellid polychaete EUDISTYLIA VANCOUVERI (Kinberg, 1867). Student Report, Bodega Marine Lab, Library. IDS 100

Haberfield, Eve. 1967. Selection of tube building materials in terebellid THELEPUS of Bodega Bay. Student Report, Bodega Marine Lab, Library. Zoology 157

Hamilton, William. 1958. A preliminary survey of commensal Polynoids of the Bodega_Bolinas area. Student Report, Bodega Marine Lab, Library. Zoology S 112

Harbison, Charles F. 1932. Preliminary report on the fauna of a certain unnamed cove on the coast of Marin County, California. Student Report, Bodega Marine Lab, Library.

Zoology 112

* Serpula vermicularis Linnaeus, 1767 reported as Serpula columbiana Johnson, 1901. Changed per Hartman 1969.

Harris Stephen M. 1972. A study of particle selection and tube construction of the terebellid polychaetes EUPOLYMNIA CRESCENTIS and NEOAMPHITRITE ROBUSTA. Student Report, Bodega Marine Lab, Library. Zoology 157

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919. Changed per Lights 2007.

Hartman, Olga. 1936. Polychaetous annelids of the littoral zone of California. Ph.D. Dissertation, University of California, Berkeley. (J. Grinnell, T.I. Storer, S. Light, committee in charge).

Bodega lagoon

- * Streblospio benedicti Webster, 1879 reported as Streblospio lutincola Hartman, 1936. Changed per Carlton 1979.
- * Axiothella rubrocincta (Johnson, 1901) reported as Clymenella rubrocincta Johnson, 1901. Changed per Hartman 1969.

Tomales Bay, Dillon Beach

- * Paleanotus bellis (Johnson, 1897) reported as Paleanotus chrysolepis Schmarda, 1861. Not in Lights 2007 of Hartman 1969. Changed per S.C.A.M.I.T. 2001.
- * Ophiodromus pugettensis (Johnson, 1901) reported as Podarke pugettensis Johnson, 1901. Changed per Hartman 1968.
- * Platynereis bicanaliculata (Baird, 1863) reported as Uncinereis agassizi Chamberlin 1919B (=Nereis agassizi). Changed per Berkeley & Berkeley 1935.
- * Nereis pelagica neonigripes Hartman, 1936 reported as Nereis pelagica Linnaeus, 1758. Changed per Hartman 1968.
- * Hemipodus borealis Johnson, 1901 reported as Hemipodus roseus Hartman, 1950. Not found in Hartman 1969 or Lights 2007. Changed per I.T.I.S.
- * Dorvillea moniloceras (Moore, 1909) reported as Stauronereis moniloceras (Moore, 1909). (Stauronereis to Dorvillea per Hartman 1968).
- * Naineris dendritica (Kinberg, 1867) reported as Nanereis laevigata (Grube, 1855) (should be: Naineris laevigata). N. laevigata not in Hartman 1969 or Lights 2007. N. dendritica taken as synonymous with N. laevigata.
- * Notomastus giganteus (Moore, 1906) reported as Dasybranchus giganteus Moore, 1909. Reported by Berkeley & Berkeley in 1935 from Elkhorn Slough, Monterey Bay.
- * Streblospio benedicti Webster, 1879 reported as Streblospio lutincola Hartman, 1936. Changed per Carlton 1979.
- * Dodecaceria fewkesi Berkeley & Berkeley, 1954 reported as Dodecaceria pacifica (Fewkes?). Changed per Hartman 1969.
- * Axiothella rubrocincta (Johnson, 1901) reported as Clymenella rubrocincta Johnson, 1901. Changed per Hartman 1969.
- * Thelepus crispus Johnson, 1901 reported as Thelepus plagiostoma (Schmarda, 1861). Changed per D. Cowles, Department of Biology, Walla Walla College, Washington. 99324.
- * Myxicola infundibulum (Renier 1804) reported as Myxciola sp. Changed per Hartman 1969.
- * Cistenides brevicoma (Johnson, 1901) reported as Pectinaria brevicoma (n/a). Changed per Hartman 1969.
- * Chone mollis (Bush, 1904) reported as Metachone mollis (n/a). Changed per Hartman 1969.
- * Nephtys ciliata (Muller, 1789) not found in Lights 2007 or Hartman 1969. Valid species per I.T.I.S..
- * Lumbrineris sarsi (Kinberg, 1865) not found in Lights 2007 or Hartman 1969. Valid species per I.T.I.S..
- * Phragmatopoma californica (Fewkes, 1889) reported as Sabellaria californica Fewkes, 1889. Changed per S.C.A.M.I.T..
- * Pseudopotamilla occellata Moore, 1905 reported as Pseudopotamilla brevibranchiata (n/a). Salazar-Vallejo and Londoño-Mesa (2004).

- * Arctonoe vittata (Grube, 1855) reported as Acholoe vittata (n/a). Polynoe vittata= Acholoe vittata per Hartman 1936. Acholoe vittata does not appear in Hartman 1969, presumed to be Arctonoe vittata.
- * Glycera americana Leidy, 1855 reported as Glycera rugosa Johnson 1901. Taken as synonymous per S.C.A.M.I.T. 2001.
- * Pherusa papillata Johnson 1901 reported as Stylarioides papillata (Johnson 1901).
- * Hartman found Nereis mediator Chamberlin, 1918 and Nereis eucapitis Hartman (?). According to the Oct 2003 S.C.A.M.I.T. newsletter, D.Reish states: In the 1954 paper cited above, I also placed two additional species in synonymy: *Nereis pseudoneanthes* Hartman and *Nereis eucapitis* Hartman. The basis for my changes was based on the variability of the paragnath arrangement (fusion, for example) as determined by the laboratory reared specimens. In other words, brothers and/or sisters were described as separate species. Hartman (1959) listed these latter two species as synonymous with *N.mediator*.
- * Hartman found Notomastus tenuis (Moore 1909) and Notomastus angulatus Chamberlin, 1919. N. angulatus was not found in Lights 2007, Hartman 1969, I.T.I.S.. It was only found in regards to its synonymy with Notomastus tenuis in one document: Atlas de anélidos poliquetos de la plataforma continental del Golfo de California, México, Dra. Vivianne Solís Wolfowitz de Weiss of the Universidad Nacional Autónoma de México, Instituto de Ciencias del Mar y Limnología. 1998.

Synonymies of N. tenuis were listed as such:

Notomastus tenuis Moore 1909

Notomastus angulatus Chamberlin 1919a:16; Berkeley 1929:312.

Notomastus (Clistomastus) tenuis Hartman 1947:420,1ám. 47, figs. 1-5; 1969:397, figs. 1-5.

Notomastus tenuis Hobson & Banse 1981:66.

Notomastus? tenuis Ewing 1984a:14-26, figs. 14.21, 14.22a-e.

- * Hartman reported Pectinophelia californiensis as a new species in 1936. It was not found in Lights 2007, Hartman 1969, I.T.I.S. or elsewhere on the web. Not added to checklist.
- * Hartman reported Eulalia parasteggoa. It was not found in Lights 2007, Hartman 1969, I.T.I.S. or in a search of the entire web. Not added to checklist.
- * Hartman reported the new species Stauronereis minor (1936). Not found in Lights 2007, Hartman 1969, or I.T.I.S. It might be synonymous with Dorvillea rudolphi, but no evidence was found. Not added to checklist.
- * Neanthes transcendens erected as new species, but not in Hartman 1968 nor anywhere else, therefore Neanthes transcendens is not included in checklist.
- * Hartman reported Stylarioides dimissus Hartman, 1936. Not found in Lights 2007, Hartman 1969, S.C.A.M.I.T., or I.T.I.S.. Not added to checklist.

Holton, Charlotte. 1957. Survey of the Polychaeta found on the outer coast around the area of Bodega Bay. Student Report, Bodega Marine Lab, Library. Zoology 212

- * Ophiodromus pugettensis (Johnson, 1901) reported as Podarke pugettensis Johnson, 1901. Changed per Hartman 1968.
- * Platynereis bicanaliculata (Baird, 1863) reported as Platynereis agassizi Okuda & Yamada, 1954. Changed per Lights 1954 (2nd edition).
- * Typosyllis adamanteus (Treadwell, 1914) reported as Trypanosyllis adamanteus (n/a). Changed per Hartman 1968.

- * Dodecaceria fewkesi Berkeley & Berkeley, 1954 reported as Dodecaceria fistulicola Ehlers, 1901. Changed from invalid species in otherwise monospecific genus.
- * Typosyllis alternata (Moore, 1908) reported as Syllis alternata Moore, 1908. Changed per Hartman 1968.
- * Typosyllis fasciata (Malmgren, 1867) reported as Syllis fasciata Malmgren, 1867. Changed per Hartman 1968.
- * Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919. Changed per Lights 2007.

Houston, Richard C. 1949. A general survey of the ecology, environmental factors, and more abundant animals in an area of sandy beach within the influence of the Coast Guard breakwater in Monterey Bay. Student Report, Bodega Marine Lab, Library. Zoology 112

Houx, Stephen. 1976. Feeding preference and behavior in the polychaete LUMBRINERIS ZONATA. Student Report, Bodega Marine Lab, Library. IDS 100

Humphreys, Walter J. 1957. Observations on the terebellid PISTA PACIFICA (polychaeta). Student Report, Bodega Marine Lab, Library. Zoology 112

Jennings, Penelope,. 1973. On the behavioral interactions of two crabs (PINNIXA LONGIPES and PINNIXA TUBICOLA) with two polychaetes (AXIOTHELLA RUBROCINCTA and EUPOLYMNIA CRESCENTIS). Student Report, Bodega Marine Lab, Library. IDS 100

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919. Changed per Lights 2007.

Jorgensen, Eric J. 1976. Anatomy of the blood vascular system of EUPOLYMNIA CRESCENTIS (Polychaeta, Terebellidae). Student Report, Bodega Marine Lab, Library. IDS 100

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919. Changed per Lights 2007.

Kahn, Raymond H. 1950. A study on the occurrence and physiology of a hesionid polychaete. Student Report, Bodega Marine Lab, Library. Zoology 112

* Ophiodromus pugettensis (Johnson, 1901) reported as Podarke pugettensis Johnson, 1901. Changed per Hartman 1968.

Kahn, Raymond H. 1950. A study on the occurrence and physiology of a hesionid polychaete. Student Report, Bodega Marine Lab, Library. Zoology 112

Kamei, Ichiro. 1958. Some observations of PECTINARIA CALIFORNIENSIS in the Bolinas Lagoon. Student Report, Bodega Marine Lab, Library. Zoology S-212

Kemp, Norman, E. 1939,. A study of rock dwelling polychaetes. Student Report, Bodega Marine Lab, Library.

Zoology 119

- * Thelepus crispus Johnson, 1901 reported as Thelepus plagiostoma (Schmarda, 1861). Changed per D. Cowles, Department of Biology, Walla Walla College, Washington. 99324.
- * Naineris dendritica (Kinberg, 1867) reported as Nanereis laevigata (Grube, 1855) (should be: Naineris laevigata). N. laevigata not in Hartman 1969 or Lights 2007. N. dendritica taken as synonymous with N. laevigata.
- * Boccardia natrix (Soderstrom, 1920) not found in Lights 2007 or Lights 1969, but valid name.
- * Platynereis bicanaliculata (Baird, 1863) reported as Uncinereis agassizi Chamberlin, (1919B). Changed per Berkeley & Berkeley 1935.

Kendziorek, Marshal. 1976. Clearance rates in the sabellid polychaete, EUDISTYLIA VANCOUVERI (Kinberg, 1867). Student Report, Bodega Marine Lab, Library. IDS 100

Kim, Nancy Elizabeth. 1988. Tube building behavior of the Terebellid, STREBLOSOMA CRASSIBRANCHIA: the importance of particle size. Student Report, Bodega Marine Lab, Library.

Zoology 112

Kivel, Peggy. 1978. Responses to light in the polychaete CHONE MINUTA with an emphasis on the pygidial ocelli. Student Report, Bodega Marine Lab, Library. Zoology 157

Kopley, Kathy. 1976. The tubes of CHONE ECAUDATA (Polychaeta: Sabellidae) and PECTINARIA CALIFORNIENSIS (Polychaeta: Pectinariidae). Student Report, Bodega Marine Lab, Library.

IDS 100

Lamb, Beth June. 1948. Survey of the fauna of a Moss Beach rock. Student Report, Bodega Marine Lab, Library.

Zoology 112

LeBlanc, Rachelle. 1995. Transmission of parasitic sabellid polychaete in red cultured abalone, HALIOTIS RUFESCENS. Student Report, Bodega Marine Lab, Library.

Environmental Studies S124

Marine and Coastal Field Ecology

Ledig, Ruth Anne. (year unknown). The blood vascular system of the polychaete, NEREIS VIRENS var. BRANDTI Malmgren. Student Report, Bodega Marine Lab, Library. (course unknown)

* Neanthes virens (Sars, 1835) reported as Nereis virens Sars, 1835. Changed per Lights 2007 and I.T.I.S.

Lekach, Vladimir. 1971. A comparison of the characteristic fauna of three local sandy beaches, Bodega Bay, Sonoma County, California. Student Report, Bodega Marine Lab, Library. Zoology 157

- * Eteone californica (Hartman 1936) reported as Eteone longa (Fabricius, 1780). Changed per Lights 2007.
- * Euzonus macronata (Treadwell, 1914) reported as Thoracophelia mucronata (Treadwell, 1914). Changed per Lights 2007.

Luchessa, Karen J. 1972. The infestation and burrowing activities of AXIOTHELLA RUBROCINCTA (Polychaete, Maldanidae) and its commensal, PINNIXA LONGIPES (Brachyura, Pinnotheridae) with distributional studies of EPISTYLIS ssp. on PINNIXA LONGIPES from the mudflats of Bodega Harbor, California. Student Report, Bodega Marine Lab, Library.

IDS 100

Magee, Glenn E. 1941. Distribution of PECTINOPHELIA etc at Dillon Beach . Student Report, Bodega Marine Lab, Library.

Zoology 199

* Neanthes limnicola (Johnson, 1901) reported as Neanthes lighti Hartman, 1938. Changed per Lights 2007.

Marchette, Nyven J. 1952. The invertebrate associates of some common Monterey intertidal sponges. Student Report, Bodega Marine Lab, Library. Zoology 212

* Eteone californica Hartman, 1936 reported as Eteone longa (Fabricius, 1780). Changed per Lights 2007.

Marcus, Robert. 1976. A study of aggressive behavior in the nereid polychaetes NEREIS LIMNICOLA and NEREIS VEXILLOSA. Student Report, Bodega Marine Lab, Library. IDS 100

Martin, Barbara J. 1976. Reproduction, larval development, tube morphology, and a survey of the invertebrates living in close association with CHONE ECAUDATA (Polychaeta, Sabellidae) found in the vicinity of Bodega Bay, California. Student Report, Bodega Marine Lab, Library. IDS 100

Mattson, Susan. 1981. A survey and comparison of fauna living on and associated with small boulders in Campbell Cove and Horseshoe Cove. Student Report, Bodega Marine Lab, Library. Zoology 157

- * Asychis elongata (Verrill, 1873) not in Lights 2007 or Hartman 1969, but a valid name found on I.T.I.S..
- * Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919. Changed per Lights 2007.
- * Ophelina acuminata Oersted, 1843 reported as Ammotrypane aulogaster Rathke, 1843. Changed per Lights 2007.

McBirney, John. 1974. Intertidal distribution of TYPOSYLLIS ADAMANTEUS (Annelida, Polychaeta) commensal with COLLISELLA DIGITALIS (Mollusca, Gastropoda). Student Report, Bodega Marine Lab, Library. IDS 100

McCauley, Michael J. 1980. Preferential selection of particles in three species of terebellid polychaetes. Student Report, Bodega Marine Lab, Library. Zoology 157

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919. Changed per Lights 2007.

McConnaughey, Bayard. Date unknown. Some observations on the cirratulid worms of Zones Two and Three at Montara Rocks. Student Report, Bodega Marine Lab, Library. COURSE Unknown

McDaniels, Audrey. 1971. Density counts of ZOSTERA root inhabitants. Student Report, Bodega Marine Lab, Library. Zoology 157

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919. Changed per Lights 2007.

McDonald, Patricia Eileen. 1970. The role of chemoreception in the attraction of the commensal hesionid worm PODARKE PUGETTENSIS to its host PATIRIA MINIATA. Student Report, Bodega Marine Lab, Library.

Zoology 157

* Ophiodromus pugettensis (Johnson, 1901) reported as Podarke pugettensis Johnson, 1901. Changed per Hartman 1968.

McKnight, Tom,. 1971. An analysis of a transect across the southern jetty of Bodega Harbor in light of existing environmental conditions. Student Report, Bodega Marine Lab, Library. Zoology 157

- * Platynereis bicanaliculata (Baird, 1863) reported as Platynereis agassizi Okuda & Yamada, 1954. Changed per Lights 1954 (2nd edition).
- * Pholoides aspera (Johnson, 1897) reported as Peisidice aspera Johnson, 1897. Changed per Lights 2007.

Mendenhall, Vivian. 1967. Observations on burrowing responses to environmental stresses in the polychaete worm CIRRIFORMIA SPIRABRANCHA. Student Report, Bodega Marine Lab, Library. Zoology 157

Misuraca, Jessica. 1985. Time_interval patterning and food_resource influence of the behavior of the annelids EUDISTYLIA POLYMORPHA and EUDISTYLIA VANCOUVERI. Student Report, Bodega Marine Lab, Library.

Problems in Marine Biology

Mitchell, Jim. 1976. A qualitative study of the food of the sabellariid polychaete PHRAGMATOPOMA CALIFORNICA. Student Report, Bodega Marine Lab, Library. IDS 100

Newel, Gail Janzen . 1981. A comparison of the fouling communities of Westside Park boat launch and Mason's Marina, Bodega Bay, California. Student Report, Bodega Marine Lab, Library.

Zoology 157

* Naineris dendritica (Kinberg 1867) reported as Protoaricia sp. (n/a) Changed per Lights 2007.

O'Connell, Susan. 1971. A study of five common species of Terebellidae of the Bodega Harbor and outlying areas. Student Report, Bodega Marine Lab, Library. Zoology 157

* Eupolymnia heterobranchia (Johnson,1901) reported as Eupolymnia crescentis Chamberlin, 1919. Changed per Lights 2007.

Olsonoski, Bettye Lu. 1949. A survey of life on the pilings of the Municipal Wharf, Monterey. Student Report, Bodega Marine Lab, Library. Zoology 112

* Dexiospira spirillum (Linnaeus, 1758) reported as Spirorbis spirillum (Linnaeus, 1758). Changed per Hartman 1969.

Pacific Marine Station, Staff. 1977. A Biological and Chemical Monitoring Study of Bodega Harbor, California. Research Report Number 14, University of the Pacific, Presented to the Sonoma County Board of Supervisors. Polychaete results by J. Blake (pers. comm.)

- * Dorvillea longicornis (delle Chiaje, 1828) reported as Stauronereis articulatus Hartman, 1938. Changed per Lights 2007.
- * Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin 1919. Changed per Lights 2007.
- * Scolelepis tridentata Southern, 1914 reported as Scolelepis tridentate. Changed per Lights 2007.

Parker, George P. Jr. 1947. A report of polychaetous annelids of Monterey peninsula. Student Report, Bodega Marine Lab, Library. Zoology 112

- * Abarenicola pacifica Healy & Wells, 1959 reported as Arenicola claperoudii (should be: Arenicola claparedii [Okuda 1933]) changed per Hartman 1969.
- * Eunice valens (Chamberlin, 1919) reported as Eunice kobiensis McIntosh, 1885. Changed per Parker & Tunnicliffe 1994, Biol. Bull. 187: 336_345.
- * Eunice websteri Fauchald 1969 reported as Eunice longicirrata (Webster, 1884). Reported by Berkeley & Berkeley 1935, Amer. Midl. Nat. 16: 766_775. not recognized Hartman 1969 but see Fauchald 1969 (=E. longicirrata Fauchald 1969, = E. biannulata Moore 1904, found in Hartman 1969).
- * Hemipodia simplex (Grube 1857) reported as Hemipodius simplex (n/a). Changed per Lights 2007.
- * Hemipodia californiensis (Hartman, 1938) reported as Hemipodius californiensis (n/a). Changed per Lights 2007.
- * Ophelina acuminata Oersted, 1843 reported as Ammotrypane aulogaster Rathke, 1843. Changed per Lights 2007.
- * Neoleprea californica Moore, 1904 reported as Terebella californica Moore, 1904.

- Changed per Lights 2007 and I.T.I.S.
- * Ophiodromus pugettensis (Johnson, 1901) reported as Podarke pugettensis Johnson, 1901. Changed per Hartman 1968.
- * Axiothella rubrocincta (Johnson, 1901) reported as Clymenella rubrocincta Johnson, 1901. Changed per Hartman 1969.
- * Lepidonotus squamatus (Linnaeus, 1767) reported as Lepidonotus coelorus (should be: Lepidonotus caelorus Moore, 1905) changed per Hartman 1968.
- * Platynereis bicanaliculata (Baird, 1863) reported as Platynereis agassizi Okuda & Yamada, 1954. Changed per Lights 1954 (2nd edition).
- * Neoamphitrite robusta (Johnson, 1901) reported as Amphitrite robusta Johnson, 1901. Changed per Lights 2007.
- * Naineris dendritica (Kinberg, 1867) reported as Nanereis laevigata (Grube, 1855) (should be: Naineris laevigata) per SCAMIT 2001. N. laevigata not in Hartman 1969 or Lights 2007.
- * Dorvillea longicornis (delle Chiaje, 1828) reported as Stauronereis articulatus Hartman, 1938. Changed per Lights 2007. (Stauronereis to Dorvillea per Hartman 1968).
- * Dorvillea moniloceras (Moore, 1909) reported as Stauronereis moniloceras (Moore, 1909). (Stauronereis to Dorvillea per Hartman 1968).
- * Spirobranchus spinosus Moore, 1923 reported as Spirabranchus sp. (should be Spirobranchus sp.) Only species in genus Spirobranchus (Hartman 1969).
- * Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin 1919. Changed per Lights 2007.
- * Parker reported Nereis callaona (Grube 1857), which was not recognized by Hartman 1969, Lights 2007 or the Integrated Taxonomic Information System (I.T.I.S.). Not included in checklist. Reported by Hewatt 1946 Ecol Monogr 16: 185-210. Current reports in literature restricted to Peru, Chile, Mediterranean.

Pettibone, Marian. 1941. Polychaetes collected during Intersession, 1941. Student Report, Bodega Marine Lab, Library.

COURSE Unknown

- * Ophiodromus pugettensis (Johnson, 1901) reported as Podarke pugettensis Johnson, 1901. Changed per Hartman 1968.
- * Hydroides gracilis (Bush, 1905) reported as Eupomatus gracilis (n/a). Changed per Lights 2007.
- * Platynereis bicanaliculata (Baird, 1863) reported as Platynereis agassizi Okuda & Yamada, 1954. Changed per Lights 1954 (2nd edition).
- * Euzonus dillonensis (Hartman, 1938) reported as Pectinophelia dillonensis Hartman, 1938. Changed per Hartman 1969.
- * Naineris dendritica (Kinberg, 1867) reported as Nanereis laevigata (Grube, 1855) (should be: Naineris laevigata). N. laevigata not in Hartman 1969 or Lights 2007. N. dendritica taken as synonymous with N. laevigata.
- * Paleanotus bellis (Johnson, 1897) reported as Paleanotus chrysolepis Schmarda, 1861. Not in Hartman 1969. Changed per S.C.A.M.I.T. 2001.
- * Axiothella rubrocincta (Johnson, 1901) reported as Clymenella rubrocincta Johnson, 1901. Changed per Hartman 1969.
- * Trypanosyllis zebra (Grube, 1860) not found in Lights 2007 or Hartman 1969, but valid name.

- * Euzonus williamsi (Hartman, 1938) reported as Pectinophelia williamsi (n/a). Changed per Hartman 1969.
- * Dodecaceria fewkesi Berkeley & Berkeley, 1954 reported as Dodecaceria fistulicola Ehlers, 1901. Changed from invalid species in otherwise monospecific genus.
- * Magelona longicornis Johnson, 1901 not found in Lights 2007 or Hartman 1969. Found in Kozloff, E. N. 1999 Marine Invertebrates of the Pacific Northwest. University of Washington Press.
- * Lepidonotus squamatus (Linnaeus, 1767) reported as Lepidonotus caelorus Moore, 1903. Changed per Hartman 1968.
- * Neanthes limnicola (Johnso, 1901) reported as Neanthes lighti Hartman, 1938. Changed per Lights 2007
- * Notomastus magnus Hartman 1947 reported as Dasybranchus giganteus Moore, 1909. Reported by Berkeley & Berkeley in 1935 from Elkhorn Slough, Monterey Bay.
- * Pettibone reported Nereis callaona (Grube 1857), which was not recognized by Hartman 1969, Lights 2007 or the Integrated Taxonomic Information System (I.T.I.S.). Not included in checklist. Reported by Hewatt 1946 Ecol Monogr 16: 185-210. Current reports in literature restricted to Peru, Chile, Mediterranean.

Pitelka, Frank A. and Paulson, Richard E. 1942. Ecological survey of an intertidal flat Tomales Bay, California: including a list of animal forms inhabiting mud flats in the Bodega Bay Region, California. Student Report, Bodega Marine Lab, Library. Zoology 112

- * Platynereis bicanaliculata (Baird, 1863) reported as Platynereis agassizi Okuda & Yamada, 1954. Changed per Lights 1954 (2nd edition).
- * Neanthes limnicola (Johnson, 1901) reported as Neanthes lighti Hartman, 1938. Changed per Lights 2007.
- * Naineris dendritica (Kinberg, 1867) reported as Nanereis laevigata (Grube, 1855) (should be: Naineris laevigata). N. laevigata not in Hartman 1969 or Lights 2007. N. dendritica taken as synonymous with N. laevigata.
- * Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin 1919. Changed per Lights 2007.
- * Glycinde armigera Moore, 1911 reported as Glycinde multidens Hartman, 1940. Not found in Lights 2007, Hartman 1969, I.T.I.S. or M.A.R.B.E.F. (Europe). Changed per S.C.A.M.I.T. 2001.
- * Goniada maculata Oersted, 1843 not found in Lights 2007 or Hartman 1969. Found in Kozloff 1996 and valid species per I.T.I.S..
- * Cirriformia spirabrancha (Moore, 1904) reported as Cirratulus spirabrancha. Changed per Hartman 1969.
- * Notomastus latericeus Sars, 1851 not found in Lights 2007 or Hartman 1969. Found in S.C.A.M.I.T. 2001.
- * Daysbranchus caducus (Grube, 1846) not found in Lights 2007, Hartman 1969, Kozloff 1996, or S.C.A.M.I.T. 2001. But valid species per I.T.I.S. (common in Europe). No records in California.
- * Amaeana sp. reported as Amaea sp. Taken as misspelling.

Prater, Sandra G. 1979. Feeding, habitat, and distribution patterns of TYPOSYLLIS FASCIATA (Polychaeta: Syllidae) living on CLADOPHORA COLUMBIANA (Chlorophyta). Student

Report, Bodega Marine Lab, Library. Problems in Marine Biology

Provin, Bruce F. 1949. Populations of marine animals on a permanent transect at Mussel Point. Student Report, Bodega Marine Lab, Library. Zoology 212

Pyke, Steven N. 1982. The mechanisms of tube formation and differential grain size selection in two species of sedentary, intertidal polychaetes of Bodega Bay: NEOAMPHITRITE ROBUSTA and CHONE ECAUDATA. Student Report, Bodega Marine Lab, Library. Zoology 157

Raeder, R. 1932a. A cursory ecological study of the invertebrate fauna of a beach in West Berkeley, California. Student Report, Bodega Marine Lab, Library. Zoology 112-212 v.2

Raeder, R. 1932b. A study of the invertebrate fauna of Horseshoe Bend, Sonoma County, California. Student Report, Bodega Marine Lab, Library. Zoology 112-212 v.2

* Serpula vermicularis Linnaeus, 1767 reported as Serpula columbiana Johnson, 1901. Changed per Hartman 1969.

Rasmussen, Karen M. 1983. A survey of the invertebrate fauna of Mason's Marina, Bodega Bay, California, and the possible effects of freshwater influx due to heavy winter storms on the community. Student Report, Bodega Marine Lab, Library. Zoology 157

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin 1919. Changed per Lights 2007.

Rees, Paul Alan. 1976. Sensitization in the sabellid polychaete, EUDISTYLIA VANCOUVERI. Student Report, Bodega Marine Lab, Library. IDS 100

Ribnick, Lawrence W. 1966. A study of commensalism: the polynoid genus HESPERONOE. Student Report, Bodega Marine Lab, Library. Zoology S 112

Richards, David. 1984. A survey of the infauna of PHYLLOSPADIX SCOULERI blades and holdfasts, with an emphasis on polychaetes, found on Bodega Head and Doran Beach, Bodega Bay, CA. Student Report, Bodega Marine Lab, Library. Zoology 157

* Notomastus iricolor (n/a) (so spelled) not in Hartman 1969, not Lights 2007, not ITIS, not added to list.

Rieger, James F. 1981. Diversity of the macrofauna associated with a mussel bed in Horseshoe Cove, California. Student Report, Bodega Marine Lab, Library. Zoology 157

Ristau, Donn A., Chris Tarp, Cadet Hand. 1978. Survey of the Biota of the Open Coast at Bodega Marine Life Refuge (Area of Special Biological Significance). Report to the California Department of Fish and Game. On file at the Bodega Marine Lab Library.

* Dexiospira spirillum (Linnaeus, 1758) reported as Spirorbis spirillum (Linnaeus, 1758). Changed per Hartman 1969.

Ritz, Joseph A. 1949. A comparative study of tidepools in Zone 3. Student Report, Bodega Marine Lab, Library.

Zoology 112

* Spirorbis borealis Daudin, 1800 reported as Laeospira borealis Daudin, 1800. Changed per Salazar-Vallejo and Londoño-Mesa (2004). =S. asperatus in Hartman 1969.

Roberts, John L. 1950. The polychaete annelid community of PHYLLOSPADIX TORREYI root system. Student Report, Bodega Marine Lab, Library. Zoology 212

- * Timarete perbranchiata (Chamberlin, 1918) reported as Ambo perbranchiata (n/a). Changed per Hartman 1969.
- * Cirratulus robustus Johnson 1901 retained (Lights 2007) over Cirratulus cirratus spectabilis (Kinberg, 1866) Hartman 1969.
- * Naineris dendritica (Kinberg, 1867) reported as Nanereis laevigata (Grube, 1855) (should be: Naineris laevigata). N. laevigata not in Hartman 1969 or Lights 2007. N. dendritica taken as synonymous with N. laevigata.

Rodgers, Thomas L. 1941, The distribution of two polychaete worms of the genus PECTINOPHELIA on Dillon Beach, California. Student Report, Bodega Marine Lab, Library. COURSE UNKNOWN

Rodgers, Thomas L. 1941. A preliminary survey of the animals of Sandy Beach, Dillon Beach, California. Student Report, Bodega Marine Lab, Library. Zoology 112

- * Euzonus dillonensis (Hartman, 1938) reported as Pectinophelia dillonensis Hartman, 1938. Changed per Hartman 1969.
- * Euzonus williamsi (Hartman, 1938) reported as Pectinophelia wiliamsi (n/a). Changed per Hartman 1969.

Rodman, Karen. 1980. The community structure, tube formation, and feeding behavior of CHONE MINUTA (Polychaeta: Sabellidae). Student Report, Bodega Marine Lab, Library. Zoology 157

Saphire, Andrew. 1985. A comparison of spionidae from the salt marsh and from the rocky intertidal area. Student Report, Bodega Marine Lab, Library. Zoology 162

Sander, N. 1936. Bank fauna, Alameda Estuary. Student Report, Bodega Marine Lab, Library. Zoology 162

Sax, Kenneth Michael. 1982. The effects of physical conditions on the polychaete assemblages in the rhizomes of PHYLLOSPADIX SCOULERI. Student Report, Bodega Marine Lab, Library.

Student Report, Bodega Marine Lab, Library. Problems in Marine Biology

Siddiqui, Wasim Ahmad. 1958. A survey of the general distribution of polychaetes in the Duxbury and its allied reefs. Student Report, Bodega Marine Lab, Library. Zoology S_212

- * Ophiodromus pugettensis (Johnson, 1901) reported as Podarke pugettensis Johnson, 1901. Changed per Hartman 1968.
- * Phyllodoce madeirensis Langerhans, 1880 reported as P. madeirense). Changed to Anaitides madeirensis by Hartman 1968. Reported as P. madeirensis in Kozloff 1996. Not in SCAMIT 2001. Description from report, with points that match Hartman 1968 in caps: CORDIFORM PROSTOMIUM, WITH OCCIPITAL TUBERCLE, large eyes, tentacles small and cylindrical, no setae on 3rd segment, POINTED DORSAL CIRRI, 8 cm length.
- * Polydora limicola Annenkova, 1934 reported as Polydora ciliata (Johnston, 1838). P. ciliata = P. limicola per Hartman 1969.
- * Dodecaceria fewkesi Berkeley & Berkeley, 1954 reported as Dodecaceria pacifica (Fewkes?). Changed per Hartman 1969.
- * Idanthyrsus armatus Kinberg, 1867 not in Lights 2007 or Hartman 1969, but a valid name, occurring in California.

Silvey, Gerald E. 1966. External respiration in the Terebellid EUPOLYMNIA CRESCENTIS. Student Report, Bodega Marine Lab, Library. Zoology S 212

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin 1919. Changed per Lights 2007.

Simon, Michael A. 1977. The role of chemical gradients in the attraction of OPHIODROMUS PUGETTENSIS (Annelida; Polychaeta) to its host PATIRIA MINIATA (Echinodermata; Asteroidea). Student Report, Bodega Marine Lab, Library. Problems in Marine Biology

Slesnick, Michael. 1971. A study of a conspicuous association of three polychaetes: CHONE MINUTA, PYGOSPIO ELEGANS, and PYGOSPIA CALIFORNICA. Student Report, Bodega Marine Lab, Library. Zoology 157

Slesnick, Michael. 1971. A study of a conspicuous association of three polychaetes: CHONE MINUTA, PYGOSPIO ELEGANS, and PYGOSPIA CALIFORNICA. Student Report, Bodega Marine Lab, Library.

Zoology 157

Snider, Leslie Jan. 1976. The sex ratio and distribution of HESPERONOE ADVENTOR, Skogsberg (Polychaeta: Polynoidae) in the burrows of the echiuroid, URECHIS CAUPO, at Bodega Bay, California. Student Report, Bodega Marine Lab, Library. IDS 100

Sonnedecker, Stuart. 1972. The influence of the limpet DIODORA ASPERA on the aggressive behavior of a commensal polychaete worm ARCTONOE VITTATA in the presence of sea stars. Student Report, Bodega Marine Lab, Library. IDS 100

Standing J., B. Browning, J.W. Speth, P.H. Arend, and P. Connors. 1975. The Natural Resources of Bodega Harbor. Coastal Wetlands Series #11. State of California Department of Fish and Game. On file at Bodega Marine Lab Library.

- * Eteone californica Hartman, 1936 reported as Eteone longa (Fabricius, 1780). Changed per Lights 2007.
- * Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin 1919. Changed per Lights 2007.
- * Micronereis nanaimoensis Berkely & Berkeley 1935 reported as Phyllodocella bodegae Fauchald & Belman, 1972. Changed per Lights 2007. See K. Banse 1977. Journal of Natural History. 11:609_628.

Stoner, Douglas. 1976. The settling behavior of a spirorbid, DEXIOSPIRA SPIRILLUM (Polychaeta: Spirorbidae). Student Report, Bodega Marine Lab, Library. IDS 100

Sundeen, James R. 1970. Observations of the relationship between water current and tube building in PISTA PACIFICA (Terebellidae). Student Report, Bodega Marine Lab, Library. Zoology 157

Sweeny, Francis J. 1976. Investigations into the two current patterns of PECTINARIA CALIFORNIENSIS. Student Report, Bodega Marine Lab, Library. IDS 100

Toy, Kathy. 1978. Behavior of PECTINARIA CALIFORNIENSIS: burrowing, feeding, and tube adaptations. Student Report, Bodega Marine Lab, Library. Zoology 157

Vanderwilt, Deborah J. 1975, Substrate selection and morphological development of LEODORA ABNORMIS Bush (Polychaeta: Spirorbidae). Student Report, Bodega Marine Lab, Library. IDS 100

* Leodora abnormalis is a valid species through I.T.I.S. but an authority could not be found.

von Schmidt, Barbara 1946. Special report on the classification of HESPERONE COMPLANATA. Student Report, Bodega Marine Lab, Library. Zoology 112

Wagner, Richard H. 1977. The symbiotic association between the polychaete ARCTONOE VITTATA and its asteroid host DERMASTERIAS IMBRICATA (Echinodermata; Asteroidea). Student Report, Bodega Marine Lab, Library. Zoology S143

Wagner, Richard H. 1977. The symbiotic association between the polychaete ARCTONOE VITTATA and its asteroid host DERMASTERIAS IMBRICATA. Student Report, Bodega Marine Lab, Library.

Problems in Marine Biology

Walker, Sally. 1976. Observations on the morphology of the brood pouches in STREBLOSPIO BENEDICTI Webster (Polychaeta: Spionidae). Student Report, Bodega Marine Lab, Library. IDS 100

Watson, Sally. 1975. The zonation of polychaetes in Campbell Cove, Bodega Bay along a change in sediment from sand to mud. Student Report, Bodega Marine Lab, Library. IDS 100

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin, 1919. Changed per Lights 2007.

Webb, Jan. 1971. A survey of the salt marsh ecotone. Student Report, Bodega Marine Lab, Library.

IDS 100

* Boccardia hamata (Webster, 1879) reported as Boccardia uncata Berkeley, 1927. Changed per Lights 1975.

Welshons, William J. 1950. Observations on the development of the Cirratulid Polychaete AUDOUINIA SPIRABRANCHA. Student Report, Bodega Marine Lab, Library. Zoology 112

Whiteley Arthur. H. 1941. Some adaptations of the nereid worm, NEANTHES LIGHTI, to an estuarine existence: a preliminary report. Student Report, Bodega Marine Lab, Library. Zoology 119

* Neanthes limnicola (Johnson, 1901) reported as Neanthes lighti Hartman, 1938. Changed per Lights 2007

Wilson, Wilfred J. and Jacobs, Frank E. 1958 Observations on invertebrate animal distribution in Bolinas Lagoon [survey]. Student Report, Bodega Marine Lab, Library. Zoology S 112

Witmer, Mark C. 1976. Tube building and sand grain size selectivity in the terebellid polychaete, NEOAMPHITRITE ROBUSTA (Johnson, 1901). Student Report, Bodega Marine Lab, Library. Zoology 157

Wittry, Vaughn John. 1973. Tube building by the sabellid polychaete CHONE ECAUDATA. Student Report, Bodega Marine Lab, Library. Zoology 157

Woo, Darryl M. 1977 Thixotropy and dilatancy in the burrowing behavior of NEPHTYS CAECOIDES and NEPHTYS CALIFORNIENSIS. Student Report, Bodega Marine Lab, Library.

Young, Keith. 1974. Sand grain selectivity in the tube building of AXIOTHELLA RUBROCINCTA and PECTINARIA CALIFORNIENSIS. Student Report, Bodega Marine Lab, Library.

Zoology 157

Ziegler, Robert B. 1971. An ecological study of the fauna present in the holdfasts of PHYLLOSPADIX. Student Report, Bodega Marine Lab, Library. Zoology 157

* Eupolymnia heterobranchia (Johnson, 1901) reported as Eupolymnia crescentis Chamberlin 1919. Changed per Lights 2007.

Zimmerman, Anita L. 1978. A comparison of jaw structure and diet for three polynoids, with notes on feeding behavior. Student Report, Bodega Marine Lab, Library. Student Report, Bodega Marine Lab, Library. Zoology 157